



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 1 of 23

Applicant Company Name: Jinhua Minyu Handicrafts Co., Ltd.

Applicant Company Address: Ditian Functional Zone, Xiaoshun Town, Jindong District, Jinhua City, Zhejiang Province

Report on the submitted samples said to be:

Sample Name : PU Crispy Texture Stress Toy
Sample No. : CPNN01
Manufacturer : Jinhua Minyu Handicrafts Co., Ltd.
Manufacturer Address : Ditian Functional Zone, Xiaoshun Town, Jindong District, Jinhua City, Zhejiang Province
Tested Age Grade : Over 3 Years
Labeled Age Grading : 3+
Appropriate Age Grading for Testing : Over 3 Years
Age Group Assessed As per Age Guideline : Over 3 Years
Sample Receiving Date : October 23, 2026
Testing Period : From October 23, 2026 to October 29, 2026
Results : Please refer to next page(s).

Shenzhen Deesev Testing Technology Corporation

Approved by: 
Tommy Jiang / Lab Manager

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.

Shenzhen Deesev Testing Technology Corporation

Address: 9/F., Building B, Feiyang Technology Park, No.8, Longchang Road, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: +86-0755-32936716 E-mail: dti@deesev.cn URL: www.deesev.com



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 2 of 23

Summary of Test Results:

TEST REQUEST

CONCLUSION

A ASTM F963-23 Standard Consumer Safety Specification for Toy Safety

1.Mechanical and Physical Tests

Pass

2.Flammability Tests

Pass

3.Toxicology Tests

Pass

3.1 Total Lead Content tests

Pass

3.2 Soluble Migrated Elements tests

Pass

3.3 Phthalates Tests

Pass

3.4 Cadmium (Cd) Extractability Tests

See Remark 1

B CPSIA section 101(a)(2)-Lead in accessible substrate materials

Pass

C CPSIA section 101(f)-Lead in Paint/Similar surface coating materials

See Remark 2

D Consumer Product Safety Commission 16 CFR Ch.II Part 1303-Ban of Lead-Containing Paint and Certain Consumer Products Bearing Lead-Containing Paint-Lead content

See Remark 2

E CPSIA section 108 and Consumer Product Safety Commission 16 CFR Ch.II Part 1307 for Prohibition of children's toys and child care articles containing specified phthalates

Pass

F CPSIA Section 103 Tracking Labels for Children's Products

Pass

G As specified in title 16, code of federal regulations, chapter II - consumer products safety commission of U.S.A

1. 16 CFR 1500.50.51.52.53 Simulating use and abuse of toys

Pass

2. 16 CFR 1501 Small Objects

Pass

3. 16 CFR 1500.48 Sharp point

Pass

4. 16 CFR 1500.49 Sharp edge

Pass

H 16 CFR 1500.3(c)(6)(vi) "Flammable solid"(FHSA regulations)

Pass

Remark:

1.No metallic small objects in the received sample(s).

2.No scrapable coating on the received samples.

3.Decision rule: According to DTI-CX-39:Decision rule for conformity of the test results.

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 3 of 23

Tested part(s):

- | | | | |
|----|--|----|---|
| 1 | PU Crispy Texture Stress Toy - Entirety(All samples) | 19 | Pink/light pink sponge (Wax apple) |
| 2 | Dark green sponge (Pumpkin, Wax apple, Bell pepper) | 20 | Blue/pink/brown sponge (Gourd) |
| 3 | Light orange/orange sponge (Pumpkin) | 21 | White sponge (Lemon, Chocolate cookie) |
| 4 | Black sponge (Pumpkin, Chocolate cookie, Star fruit) | 22 | Yellow sponge (Lemon) |
| 5 | Light red/red/brown/white sponge (Tomato) | 23 | Yellow/green/pink/red sponge (Star fruit) |
| 6 | Green sponge (Tomato, Gourd, Onion) | 24 | Purple/white/black/green sponge (Onion) |
| 7 | Brownish red sponge (Chocolate cookie) | 25 | Multicolor sponge (Corn) |
| 8 | Deep yellow sponge (Chocolate cookie) | 26 | Green/dark green sponge (Corn) |
| 9 | Blue sponge (Chocolate cookie) | 27 | Multicolor sponge (Peanut) |
| 10 | Red sponge (Chocolate cookie) | 28 | Red/black/white sponge (Bell pepper) |
| 11 | Orange sponge (Chocolate cookie) | 29 | Multicolor sponge (Potato) |
| 12 | Green sponge (Chocolate cookie) | 30 | Pale yellow sponge (Bone) |
| 13 | Green sponge (Avocado) | 31 | Brown sponge (Bone) |
| 14 | Brown sponge (Avocado) | 32 | Multicolor sponge (Bone) |
| 15 | Yellow/green/pink/black/white sponge (Avocado) | 33 | Yellow sponge (Butter stick) |
| 16 | Yellow/brown sponge (Banana) | 34 | Dark blue sponge (Butter stick) |
| 17 | Light yellow/brown sponge (Banana) | 35 | White wax |
| 18 | Yellow/green sponge (Banana) | | |

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 4 of 23

Results:

ASTM F963-23:

A.1. Safety aspects related to Mechanical and physical properties, electrical test

<u>Applicable Section</u>	<u>Description</u>	<u>Result</u>
		1
4	Safety requirements	
4.1	Material quality	Pass
4.3.7	Stuffing Materials	NA
4.4	Electrical/Thermal Energy	NA
4.5	Sound producing toys	NA
4.6.1	Toys that are intended for children under 36 months	NA
4.6.2	Mouth-actuated Toys	NA
4.6.3	Toys and games that are intended for use by children who are at least 36 months but less than age 72 months	Pass
4.7	Accessible edges	Pass
4.8	Projections	NA
4.9	Accessible points	Pass
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires, and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.

Shenzhen Deesev Testing Technology Corporation

Address: 9/F., Building B, Feiyang Technology Park, No.8, Longchang Road, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: +86-0755-32936716 E-mail: dti@deesev.cn URL: www.deesev.com



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 5 of 23

Applicable Section	Description	Result
		1
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yo Yo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labeling requirements	
5.1.2	Tracking Label	Pass
5.2	Age grading labeling	Pass
5.3	Safety labeling requirements	Pass
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.

Shenzhen Deesev Testing Technology Corporation

Address: 9/F., Building B, Feiyang Technology Park, No.8, Longchang Road, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: +86-0755-32936716 E-mail: dti@deesev.cn URL: www.deesev.com



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 6 of 23

<u>Applicable Section</u>	<u>Description</u>	<u>Result</u>
		1
5.7	Stroller and Carriage Toys	NA
5.8	Toys Intended to be Assembled By an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small objects,Small balls,Marbles and balloons	Pass
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys	NA
5.15	Promotional Materials	Pass
5.16	Magnets	NA
6	Instructional literature	
6.1	Definition and Description	Pass
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled by an Adult	NA
6.5	Battery-Operated Toys	NA
6.6	Battery-powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
6.9	Instructional	NA
7	Producer's markings	
7.1	Name and address of the producer or distributor	Pass
7.2	Battery-Powered Ride-on Toys	NA
7.3	Toy chests	NA

-- NA = Not Applicable

-- NE = Not Evaluated

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 7 of 23

Use and abuse testing:

<u>Applicable section</u>	<u>Description</u>	<u>Test Condition</u>	<u>Result</u>
			1
8.5	Normal use testing		Pass
8.6	Abuse testing		Pass
8.7	Impact test	10 drops at 4.5 ft.	Pass
8.8	Torque test	4 in-lbs.	Pass
8.9	Tension test	15 lbs.	Pass
8.10	Compression test	30 lbs.	Pass
8.12	Flexure Test	15 lbs.	NA

A.2.1 Flammability

Flammability test of material

Ref.: ASTM F963-23 Section 4.2

<u>Sample</u>	<u>Burn rate (in/sec.)</u>	<u>Result</u>
		1
PU Crispy Texture Stress Toy	0.043	Pass

Note: In accordance with the ASTM F963, the burning rate should not be greater than 0.1 inch per second.

DNI = Did Not Ignited

SE = Self-Extinguished

IBE = Ignite But Extinguished

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 8 of 23

A.3. Toxicology Tests

A.3.1. Total Lead Content

Test method: With reference to CPSC-CH-E1001-08.3,CPSC-CH-E1002-08.3&CPSC-CH-E1003-09.1, sample was digested with acid mixture and analyzed by inductively coupled plasma optical emission spectrometer (ICP-OES) .

1) ASTM F963-23 Section 4.3.5.2 Total Lead Content In Substrate Materials

Test item(s)	Unit	MDL	Results				Limit
			2+3+4	5+6+7	8+9+10	11+12+13	
Lead Content (Pb)	mg/kg	10	ND	ND	ND	ND	100
Conclusion	/	/	Pass	Pass	Pass	Pass	/

Test item(s)	Unit	MDL	Results				Limit
			14+15+16	17+18+19	20+21+22	23+24+25	
Lead Content (Pb)	mg/kg	10	ND	ND	ND	ND	100
Conclusion	/	/	Pass	Pass	Pass	Pass	/

Test item(s)	Unit	MDL	Results				Limit
			26+27+28	29+30+31	32+33+34	35	
Lead Content (Pb)	mg/kg	10	ND	ND	ND	ND	100
Conclusion	/	/	Pass	Pass	Pass	Pass	/

Note:

- ND= Not Detected
- MDL = Method Detection Limit
- mg/kg = ppm

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 9 of 23

A.3.2. Soluble element for Surface Coatings and Substrates Other Than Modeling Clay Included as Part of a Toy- ASTM F963-23, section 4.3.5.1(2) , section 4.3.5.2(2) (b)

Test method: With reference to ASTM F963-23 section 8.3.2 to 8.3.5, Analysis was performed by ICP-OES.

Test item(s)	Unit	MDL	Results						Limit
			2	3	4	5	6	7	
Soluble Lead (Pb)	mg/kg	5	ND	ND	ND	ND	ND	ND	90
Soluble Antimony (Sb)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Arsenic (As)	mg/kg	2.5	ND	ND	ND	ND	ND	ND	25
Soluble Barium (Ba)	mg/kg	5	ND	ND	ND	ND	ND	ND	1000
Soluble Cadmium (Cd)	mg/kg	5	ND	ND	ND	ND	ND	ND	75
Soluble Chromium (Cr)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Mercury (Hg)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Selenium (Se)	mg/kg	5	ND	ND	ND	ND	ND	ND	500
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	Pass	/

Test item(s)	Unit	MDL	Results						Limit
			8	9	10	11	12	13	
Soluble Lead (Pb)	mg/kg	5	ND	ND	ND	ND	ND	ND	90
Soluble Antimony (Sb)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Arsenic (As)	mg/kg	2.5	ND	ND	ND	ND	ND	ND	25
Soluble Barium (Ba)	mg/kg	5	ND	ND	ND	ND	ND	ND	1000
Soluble Cadmium (Cd)	mg/kg	5	ND	ND	ND	ND	ND	ND	75
Soluble Chromium (Cr)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Mercury (Hg)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Selenium (Se)	mg/kg	5	ND	ND	ND	ND	ND	ND	500
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	Pass	/

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 10 of 23

Test item(s)	Unit	MDL	Results						Limit
			14	15	16	17	18	19	
Soluble Lead (Pb)	mg/kg	5	ND	ND	ND	ND	ND	ND	90
Soluble Antimony (Sb)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Arsenic (As)	mg/kg	2.5	ND	ND	ND	ND	ND	ND	25
Soluble Barium (Ba)	mg/kg	5	ND	ND	ND	ND	ND	ND	1000
Soluble Cadmium (Cd)	mg/kg	5	ND	ND	ND	ND	ND	ND	75
Soluble Chromium (Cr)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Mercury (Hg)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Selenium (Se)	mg/kg	5	ND	ND	ND	ND	ND	ND	500
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	Pass	/

Test item(s)	Unit	MDL	Results						Limit
			20	21	22	23	24	25	
Soluble Lead (Pb)	mg/kg	5	ND	ND	ND	ND	ND	ND	90
Soluble Antimony (Sb)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Arsenic (As)	mg/kg	2.5	ND	ND	ND	ND	ND	ND	25
Soluble Barium (Ba)	mg/kg	5	ND	ND	ND	ND	ND	ND	1000
Soluble Cadmium (Cd)	mg/kg	5	ND	ND	ND	ND	ND	ND	75
Soluble Chromium (Cr)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Mercury (Hg)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Selenium (Se)	mg/kg	5	ND	ND	ND	ND	ND	ND	500
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	Pass	/

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 11 of 23

Test item(s)	Unit	MDL	Results						Limit
			26	27	28	29	30	31	
Soluble Lead (Pb)	mg/kg	5	ND	ND	ND	ND	ND	ND	90
Soluble Antimony (Sb)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Arsenic (As)	mg/kg	2.5	ND	ND	ND	ND	ND	ND	25
Soluble Barium (Ba)	mg/kg	5	ND	ND	ND	ND	ND	ND	1000
Soluble Cadmium (Cd)	mg/kg	5	ND	ND	ND	ND	ND	ND	75
Soluble Chromium (Cr)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Mercury (Hg)	mg/kg	5	ND	ND	ND	ND	ND	ND	60
Soluble Selenium (Se)	mg/kg	5	ND	ND	ND	ND	ND	ND	500
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	Pass	/

Test item(s)	Unit	MDL	Results				Limit
			32	33	34	35	
Soluble Lead (Pb)	mg/kg	5	ND	ND	ND	ND	90
Soluble Antimony (Sb)	mg/kg	5	ND	ND	ND	ND	60
Soluble Arsenic (As)	mg/kg	2.5	ND	ND	ND	ND	25
Soluble Barium (Ba)	mg/kg	5	ND	ND	ND	ND	1000
Soluble Cadmium (Cd)	mg/kg	5	ND	ND	ND	ND	75
Soluble Chromium (Cr)	mg/kg	5	ND	ND	ND	ND	60
Soluble Mercury (Hg)	mg/kg	5	ND	ND	ND	ND	60
Soluble Selenium (Se)	mg/kg	5	ND	ND	ND	ND	500
Conclusion	/	/	Pass	Pass	Pass	Pass	/

Note:

- ND= Not Detected
- MDL = Method Detection Limit
- mg/kg = ppm

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 12 of 23

A.3.3. Phthalates Tests

Test method: With reference to ASTM-F963-23 Section 4.3.8, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Test item(s)	CAS No.	Unit	MDL	Results			Limit
				2+3+4	5+6+7	8+9+10	
Dibutyl Phthalate (DBP)	84-74-2	%	0.003	ND	ND	ND	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	%	0.003	ND	ND	ND	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	%	0.003	ND	ND	ND	0.1
Diisononyl Phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	ND	ND	ND	0.1
Diisobutyl Phthalate(DIBP)	84-69-5	%	0.003	ND	ND	ND	0.1
Di-n-Hexyl Phthalate(DHEXP)	84-75-3	%	0.003	ND	ND	ND	0.1
Di-n-Pentyl Phthalate(DPENP)	131-18-0	%	0.003	ND	ND	ND	0.1
Dicyclohexyl Phthalate(DCHP)	84-61-7	%	0.003	ND	ND	ND	0.1
Conclusion	/	/	/	Pass	Pass	Pass	/

Test item(s)	CAS No.	Unit	MDL	Results			Limit
				11+12+13	14+15+16	17+18+19	
Dibutyl Phthalate (DBP)	84-74-2	%	0.003	ND	ND	ND	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	%	0.003	ND	ND	ND	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	%	0.003	ND	ND	ND	0.1
Diisononyl Phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	ND	ND	ND	0.1
Diisobutyl Phthalate(DIBP)	84-69-5	%	0.003	ND	ND	ND	0.1
Di-n-Hexyl Phthalate(DHEXP)	84-75-3	%	0.003	ND	ND	ND	0.1
Di-n-Pentyl Phthalate(DPENP)	131-18-0	%	0.003	ND	ND	ND	0.1
Dicyclohexyl Phthalate(DCHP)	84-61-7	%	0.003	ND	ND	ND	0.1
Conclusion	/	/	/	Pass	Pass	Pass	/

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 13 of 23

Test item(s)	CAS No.	Unit	MDL	Results			Limit
				20+21+22	23+24+25	26+27+28	
Dibutyl Phthalate (DBP)	84-74-2	%	0.003	ND	ND	ND	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	%	0.003	ND	ND	ND	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	%	0.003	ND	ND	ND	0.1
Diisononyl Phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	ND	ND	ND	0.1
Diisobutyl Phthalate(DIBP)	84-69-5	%	0.003	ND	ND	ND	0.1
Di-n-Hexyl Phthalate(DHEXP)	84-75-3	%	0.003	ND	ND	ND	0.1
Di-n-Pentyl Phthalate(DPENP)	131-18-0	%	0.003	ND	ND	ND	0.1
Dicyclohexyl Phthalate(DCHP)	84-61-7	%	0.003	ND	ND	ND	0.1
Conclusion	/	/	/	Pass	Pass	Pass	/

Test item(s)	CAS No.	Unit	MDL	Results			Limit
				29+30+31	32+33+34	35	
Dibutyl Phthalate (DBP)	84-74-2	%	0.003	ND	ND	ND	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	%	0.003	ND	ND	ND	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	%	0.003	ND	ND	ND	0.1
Diisononyl Phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	ND	ND	ND	0.1
Diisobutyl Phthalate(DIBP)	84-69-5	%	0.003	ND	ND	ND	0.1
Di-n-Hexyl Phthalate(DHEXP)	84-75-3	%	0.003	ND	ND	ND	0.1
Di-n-Pentyl Phthalate(DPENP)	131-18-0	%	0.003	ND	ND	ND	0.1
Dicyclohexyl Phthalate(DCHP)	84-61-7	%	0.003	ND	ND	ND	0.1
Conclusion	/	/	/	Pass	Pass	Pass	/

Note:

- ND = Not Detected
- MDL = Method Detection Limit
- % = Percentage by weight
- 0.1% = 1000mg/kg, mg/kg = ppm

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 14 of 23

A.3.4. Cadmium (Cd) Extractability Tests

Test method: With reference to ASTM F963-23 Section 8.3.5.5(3),determined by inductively coupled plasma optical emission spectrometer (ICP-OES)

Item	Unit	MDL	Results	Limit
			--	
Soluble Cadmium (Cd)	µg	5	--	200
Conclusion	/	/	NA	/

Note:

- NA = Not Applicable
- MDL = Method Detection Limit

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.The company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.This document cannot be reproduced execept in full,without prior written approval of the company.Any unauthorized alteration,forgery of falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.

Shenzhen Deesev Testing Technology Corporation

Address:9/F., Building B, Feiyang Technology Park, No.8, Longchang Road, Xingdong Community, Xin'an Subdistrict,Bao'an District, Shenzhen, Guangdong, China
Tel: +86-0755-32936716 E-mail:dti@deesev.cn URL:www.deesev.com



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 15 of 23

B. CPSIA section 101(a)(2)-Lead in accessible substrate materials

Test method:

1)Lead in metals:

With reference to CPSC-CH-E1001-08.3,sample was digested with acid mixture and analyzed by inductively coupled plasma optical emission spectrometer (ICP-OES)

2)Lead in other non-metal materials including plastics, glass and leather material:

With reference to CPSC-CH-E1002-08.3,sample was digested with acid mixture and analyzed by inductively coupled plasma optical emission spectrometer (ICP-OES)

Test item(s)	Unit	MDL	Results				Limit
			2+3+4	5+6+7	8+9+10	11+12+13	
Lead Content (Pb)	mg/kg	10	ND	ND	ND	ND	100
Conclusion	/	/	Pass	Pass	Pass	Pass	/

Test item(s)	Unit	MDL	Results				Limit
			14+15+16	17+18+19	20+21+22	23+24+25	
Lead Content (Pb)	mg/kg	10	ND	ND	ND	ND	100
Conclusion	/	/	Pass	Pass	Pass	Pass	/

Test item(s)	Unit	MDL	Results				Limit
			26+27+28	29+30+31	32+33+34	35	
Lead Content (Pb)	mg/kg	10	ND	ND	ND	ND	100
Conclusion	/	/	Pass	Pass	Pass	Pass	/

Note:

- ND= Not Detected
- MDL = Method Detection Limit
- mg/kg = ppm

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.This document cannot be reproduced except in full,without prior written approval of the company.Any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 16 of 23

C. CPSIA section 101(f)-Lead in Paint/Similar surface coating materials

Test method:

1) Lead in paint and other similar surface coatings:

With reference to CPSC-CH-E1003-09.1, sample was digested with acid mixture and analyzed by inductively coupled plasma optical emission spectrometer (ICP-OES)

Test item(s)	Unit	MDL	Results	Limit
			--	
Lead Content (Pb)	mg/kg	10	--	90
Conclusion	/	/	NA	/

Note:

- NA = Not Applicable
- MDL = Method Detection Limit
- mg/kg = ppm

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 17 of 23

D. Consumer Product Safety Commission 16 CFR Ch.II Part 1303-Ban of Lead-Containing Paint and Certain Consumer Products Bearing Lead-Containing Paint-Lead content

Test method:

1) Lead in paint and other similar surface coatings:

With reference to CPSC-CH-E1003-09.1, sample was digested with acid mixture and analyzed by inductively coupled plasma optical emission spectrometer (ICP-OES)

Item	Unit	MDL	Results	Limit
			--	
Lead Content (Pb)	mg/kg	10	--	90
Conclusion	/	/	NA	/

Note:

- NA = Not Applicable
- MDL = Method Detection Limit
- mg/kg = ppm

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 18 of 23

E.CPSIA section 108 and Consumer Product Safety Commission 16 CFR Ch.II Part 1307 for Prohibition of children's toys and child care articles containing specified phthalates.

Test method: With reference to CPSC-CH-C1001-09.4, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Test item(s)	CAS No.	Unit	MDL	Results			Limit
				2+3+4	5+6+7	8+9+10	
Dibutyl Phthalate (DBP)	84-74-2	%	0.003	ND	ND	ND	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	%	0.003	ND	ND	ND	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	%	0.003	ND	ND	ND	0.1
Diisononyl Phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	ND	ND	ND	0.1
Diisobutyl Phthalate(DIBP)	84-69-5	%	0.003	ND	ND	ND	0.1
Di-n-Hexyl Phthalate(DHEXP)	84-75-3	%	0.003	ND	ND	ND	0.1
Di-n-Pentyl Phthalate(DPENP)	131-18-0	%	0.003	ND	ND	ND	0.1
Dicyclohexyl Phthalate(DCHP)	84-61-7	%	0.003	ND	ND	ND	0.1
Conclusion	/	/	/	Pass	Pass	Pass	/

Test item(s)	CAS No.	Unit	MDL	Results			Limit
				11+12+13	14+15+16	17+18+19	
Dibutyl Phthalate (DBP)	84-74-2	%	0.003	ND	ND	ND	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	%	0.003	ND	ND	ND	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	%	0.003	ND	ND	ND	0.1
Diisononyl Phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	ND	ND	ND	0.1
Diisobutyl Phthalate(DIBP)	84-69-5	%	0.003	ND	ND	ND	0.1
Di-n-Hexyl Phthalate(DHEXP)	84-75-3	%	0.003	ND	ND	ND	0.1
Di-n-Pentyl Phthalate(DPENP)	131-18-0	%	0.003	ND	ND	ND	0.1
Dicyclohexyl Phthalate(DCHP)	84-61-7	%	0.003	ND	ND	ND	0.1
Conclusion	/	/	/	Pass	Pass	Pass	/

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 19 of 23

Test item(s)	CAS No.	Unit	MDL	Results			Limit
				20+21+22	23+24+25	26+27+28	
Dibutyl Phthalate (DBP)	84-74-2	%	0.003	ND	ND	ND	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	%	0.003	ND	ND	ND	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	%	0.003	ND	ND	ND	0.1
Diisononyl Phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	ND	ND	ND	0.1
Diisobutyl Phthalate(DIBP)	84-69-5	%	0.003	ND	ND	ND	0.1
Di-n-Hexyl Phthalate(DHEXP)	84-75-3	%	0.003	ND	ND	ND	0.1
Di-n-Pentyl Phthalate(DPENP)	131-18-0	%	0.003	ND	ND	ND	0.1
Dicyclohexyl Phthalate(DCHP)	84-61-7	%	0.003	ND	ND	ND	0.1
Conclusion	/	/	/	Pass	Pass	Pass	/

Test item(s)	CAS No.	Unit	MDL	Results			Limit
				29+30+31	32+33+34	35	
Dibutyl Phthalate (DBP)	84-74-2	%	0.003	ND	ND	ND	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	%	0.003	ND	ND	ND	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	%	0.003	ND	ND	ND	0.1
Diisononyl Phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	ND	ND	ND	0.1
Diisobutyl Phthalate(DIBP)	84-69-5	%	0.003	ND	ND	ND	0.1
Di-n-Hexyl Phthalate(DHEXP)	84-75-3	%	0.003	ND	ND	ND	0.1
Di-n-Pentyl Phthalate(DPENP)	131-18-0	%	0.003	ND	ND	ND	0.1
Dicyclohexyl Phthalate(DCHP)	84-61-7	%	0.003	ND	ND	ND	0.1
Conclusion	/	/	/	Pass	Pass	Pass	/

Note:

- ND = Not Detected
- MDL = Method Detection Limit
- % = Percentage by weight
- 0.1% = 1000mg/kg, mg/kg = ppm

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 20 of 23

F. CPSIA Section 103 - Tracking Labels for Children's Products

Description	Result
	1
a) Is the product intended for children under 12 years? If no, the section is not applicable.	Yes
b) Is the product under the exemption of marking on children's product?	Yes
1.Product is too small to be marked.	Not
2.Products stay with or be contained in their original packaging.	Not
3.Product is sold through a bulk vending machine.	Not
4.Physical mark would weaken or damage the product or impair its utility.	Not
5.Product surface would be impossible to mark permanently.	Not
6.Aesthetics of the product would be ruined by a mark.	Yes
c) Is the product and packaging or only packaging (for product exempted from the marking) marked below information?	Pass
1) Name of the manufacturer or the name of the private labeler.	Yes
2) Manufacturer or private labeler location, including the name of the country, and the name or other means of coding of city and state.	Yes
Date of production of the product, in a form of MM/YY or any other coding system.	Yes
Cohort information (including the batch, run number, or other identifying characteristic).	Yes
d) Is the label permanent after below permanency testing?	Pass

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 21 of 23

G.As specified in title 16, code of federal regulations, chapter II - consumer products safety commission of U.S.A

<u>Applicable Section</u>	<u>Description</u>	<u>Result</u>
		1
16 CFR 1500.50.51.52.53	Normal use testing	Pass
	Abuse testing	
	Impact test (51b)	Pass
	Bite test	NA
	Flexure test	NA
	Torque test(53e)	Pass
	Tension test(53f)	Pass
	Compression test(53g)	Pass
16 CFR 1501	Identifying toys and other articles intended for use by children under 3 years of age which present choking,aspiration, or ingestion hazards because of small parts.	NA
16 CFR 1500.48	Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of age.	Pass
16 CFR 1500.49	Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age.	Pass

-- NA = Not Applicable

Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.The company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.This document cannot be reproduced execept in full,without prior written approval of the company.Any unauthorized alteration,forgery of falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.

Shenzhen Deesev Testing Technology Corporation

Address:9/F., Building B, Feiyang Technology Park, No.8, Longchang Road, Xingdong Community, Xin'an Subdistrict,Bao'an District, Shenzhen, Guangdong, China
Tel: +86-0755-32936716 E-mail:dti@deesev.cn URL:www.deesev.com



TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 22 of 23

H. 16 CFR 1500.3(c)(6)(vi) "Flammable solid"(FHSA regulations).

Test Method: 16 CFR 1500.44

<u>Sample</u>	<u>Burn rate (in/sec.)</u>	<u>Result</u>
PU Crispy Texture Stress Toy	0.043	1 Pass

Note: In accordance with the ASTM F963, the burning rate should not be greater than 0.1 inch per second.
DNI = Did Not Ignited SE = Self-Extinguished IBE = Ignite But Extinguished



Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.

Shenzhen Deesev Testing Technology Corporation

Address: 9/F., Building B, Feiyang Technology Park, No.8, Longchang Road, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: +86-0755-32936716 E-mail: dti@deesev.cn URL: www.deesev.com

TEST REPORT

REPORT No.: DTI2026TY181023

Date:2026-10-29

Page 23 of 23

Appendix

Photograph of Sample



*** End of Report ***

Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The data in this report are used by the applicant for scientific research, teaching, internal quality control and other activities only.